



AUG - 9 2001

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

The RxFiles Corporation  
c/o Ms. Yolanda Smith  
Smith Associates  
P.O. Box 4341  
Crofton, Maryland 21114

Re: K011571  
Trade/Device Name: TRxF Intelligent Dosing System™  
Regulation Number: 868.1890  
Regulatory Class: II  
Product Code: NDC  
Dated: May 11, 2001  
Received: May 21, 2001

Dear Ms. Smith:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Ms. Yolanda Smith

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,

for Celia M. Witten, Ph.D., M.D.

Director  
Division of General, Restorative  
and Neurological Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

510(k) Number (if known): K011571

Device Name: TRxF Intelligent Dosing System™

Classification Panel: 868.1890


**Indications for Use:**

The Intelligent Dosing System (IDS)™ is a three-part software suite comprised of DoseRx™, InterchangeRx™ and PracticePrescribeRx™. The DoseRx™ is designed for use by trained clinicians to calculate any individual patient's optimal next dose for any given agent. The InterchangeRx™ is designed to switch a patient from one brand of agent to another while maintaining the therapeutic effect of the original agent. The PracticePrescribeRx is a dosing simulator that offers graded prescriber training of next dose calculation scenarios with scalable patient response and surrogate marker inputs that allows the healthcare provider to gain guided and measured experience in calculating the next dose for a new or infrequently used drug.

The IDS™ is not a substitute for clinical reasoning. The IDS™ is an aid for trained clinicians based upon significant and properly entered data. Final drug dose recommendations for a patient must be made only after careful consideration of the full clinical status of the patient. No medical decision should be based solely upon the results provided by this software program.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)  
Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use  or  Over the Counter Use \_\_\_\_\_

  
(Division Sign-Off)  
Division of General, Restorative  
and Neurological Devices

510(k) Number K011571